

severity of intravenous propofol injection pain. This study came up with some important ideas that provides a method of reducing incidence of pain on injection of propofol.

Pretreatment with intravenous ketamine provide as simple and safe method of reducing the incidence of pain on injection of propofol. We suggest low dose ketamine (0.2mg/kg) pretreatment is effective in reducing pain of propofol intravenous injection.

References

1. Tan CH, Onsiong MK, Kua SW. The effect of ketamine pretreatment and propofol injection pain in 100 women. *Anaesthesia* 1998; 53: 296-307.
2. Barbi E, Marchetti F, Gerarduzzi T et al. Pretreatment with intravenous ketamine reduces propofol injection pain. *Paediatr Anaesth*. 2003 Nov; 13(9): 764-8
3. Pang ww, Mok MS, Huang S, Hwang MH. The analgesic effect of fentanyl, morphine, meperidine, and lidocaine in the peripheral veins: a comparative study. *Anesth Analg* 1998;86:382-386
4. Agarwal A, Raza M, Dhiraaj S., Pandey R, Gupta D, Pandey CK, ety al. Pain during injection of propofol: the effect of prior administration of butorphanol. *Anesth Analg* 2004;99:117-119
5. Turan A, Memis D, Kaya g, Karamanlioglu. The prevention of pain from injection of propofol by dexmedetomidine and comparison with lidocaine. *Can J anaesth* 2005;52:548-549
6. Canbay O, Arun O, Karagoz AH, Saricaooluy F, Ozgen S. Efficacy of intravenous acetaminophen and lidocaine on propofol injection pain. *Br J Anaesth* 2008;100:95-98
7. Zhao GY, Guo Y, Bao SM., Meng LX, Zhang LH. Prevention of propofol-induced pain in children: pretreatment with small doses of ketamine. *J clin Anaesth* 2012;24:284-288
8. Koo SW, Cho SJ, Kim YK, Ham KD, Hwang JH. Small-dose ketamine reduces the pain of propofol injection. *Anaesthesia and Analgesia*. 2006;103(6):1444-47
9. Tan CH, Oslong MK, Kua SW. The effect of ketamine pretreatment on propofol injection pain in 100 women. *Anaesthesia*. 1998;53(3)302-05.
10. Ozkocak I, Altunkaya H, Ozer Y, Ayoglu H, Demirel CB, Cicek E. Comparison of ephedrine and ketamine in prevention of injection pain and hypotension due to propofol induction. *European journal of anaesthesiology*. 2005;22(01):44-48
11. Barbi E, Marchetti, Gerarduzzi T, Neri E, Gagliardo A, Sarti A, Ventura A. Pretreatment with intravenous ketamine reduces propofol injection pain. *Pediatric Anesthesia*. 2003;13(9):764-64.
12. Zhao GY, Guo Y, Bao SM, Meng LX, Zhang LH. Prevention of propofol-induced pain in children; pretreatment with small doses of ketamine. *Journal of clinical anaesthesia*. 2012;24(4):284-88.
13. Furuya A, Matsukawa T, Ozaki M, Nishiyama T, Kume M, Kumazawa T. Intravenous ketamine attenuates arterial pressure changes during the induction of anaesthesia with propofol. *European journal of anaesthesiology*. 2001;18(2):88-92.
14. Picard P, Tramer MR. Prevention of pain on injection with propofol; a quantitative systemic review. *Anesth Analg* 2000;90:963-969
15. Wang M, Wang Q, Yu YY, Wang WS. An effective dose of ketamine for eliminating pain during injection of propofol: a dose response study. *Ann fr Anesth Reanim* 2013;32 ;e 103-e106
16. Polat R, Aktay M, Ozlu O. The effect of remifentanyl, lidocaine, metoclopramide, or ketamine pretreatment on propofol injection pain. *Middle East Anaesthesiol* 2012;21:673-677
17. Koo SW, Cho SJ, Kim YK, Ham KD, Hwang JH. Small -dose ketamine reduces the pain of propofol injection. *Anesthesia and Analgesia*. 2006;103(6)1444-47
18. West N, Dumont GA, van Heusden K, Petersen CL, Khosravi S, Soltesz K et al. Robust closed-loop control of induction and maintenance of propofol anaesthesia in children. *Paediatr Anaesth*. 2013;712-719. doi:10.1111/pan.12183
19. Singh HS, Singh LD, Singh NR, Singh TH, Thkchom RS, Monohor PS. Effects of dexmedetomidine and lidocaine in alleviating propofol injection pain: A randomized controlled trial. *J Med Soc*. 2015;29:31-34. doi:10.4103/0972-4958.158929